



Supacell®



Supacell[®]

Professional range of products from lighting,

A modern living room interior featuring a curved floor lamp with a black shade and base, a light-colored sofa with a textured cushion, a round coffee table with a vase of red flowers, a large flat-screen TV mounted on a dark wall, and a long, low media console with drawers and decorative items. The room has a warm, minimalist aesthetic with light wood flooring and textured walls.

smart wifi and Ultra efficient LEDs to lamps & batteries.



*Smart home WiFi, lamps,
lighting and batteries*

*Supacell® products are
manufactured to the highest
standards, using superior
advanced components.*



CONTENTS

Smart Colour
Cap System

06

Supacell
Ultra LED

08

Supacell
LED Efficient

14

Supacell
Smart WiFi

20

Ceiling
Light

25

Supacell
Batteries

26



Our Smart, Colour Coded Cap System

*Whatever bulb cap matches your fixtures and fittings,
Supacell's Colour Coded Cap System ensures that you
can quickly and easily find the one you need.*



SBC
(B15)



ES
(E27)



BC
(B22)



SES
(E14)



SPOT
(GU10)



Supacell **ULTRA**



Supacell Ultra Efficient LEDs

- // Half the Energy Consumption of regular LEDs (save 50% vs regular LEDs)
- // 100% More Efficient
- // More Lumens
- // Less Watts

ULTRA LED / **100%***
+efficient
*vs normal LED

Supacell Ultra efficient LEDs are the latest in efficient household lighting solutions.

Up to 100% more efficient than standard LED lighting, Supacell Ultra bulbs deliver the brightness you need for a fraction of the running costs.

**2 YEARS
GUARANTEE**

**UP TO
25
YEARS
EXTENDED
LIFE**

ENJOY THE NEXT GENERATION OF LIGHTING


// LED level A, the highest most efficient level in Europe

// Our Ultra Efficient range lasts up-to 30,000hrs

Lasting up to 30,000 hours, Supacell Ultra deliver not only industry-leading efficiency - but also come in a full range of cap fittings to ensure you are able to enjoy Supacell Ultra across your entire household.



LAMP COLOUR TEMPERATURE



C37 LED Candle

- 100% more efficient than regular LEDs
 - Energy Level A
- Opal/Pearl cover
- 200° beam angle
- Voltage: 220-240V
 - Carton: 10 x 12 = 120

CODE	CAP	POWER	HALOGEN LAMP (EQUIVALENCY)	LUMENS	COLOUR TEMP
SLCPBC2UE	B22	1.5w	22w	330	Warm White (2700K)
SLCPSBC2UE	B15	1.5w	22w	330	Warm White (2700K)
SLCPSES2UE	E14	1.5w	22w	330	Warm White (2700K)
SLCPES2UE	E27	1.5w	22w	330	Warm White (2700K)
SLCPBC2UEC	B22	1.5w	22w	330	Cool Day White (6500K)
SLCPSBC2UEC	B15	1.5w	22w	330	Cool Day White (6500K)
SLCPSES2UEC	E14	1.5w	22w	330	Cool Day White (6500K)
SLCPES2UEC	E27	1.5w	22w	330	Cool Day White (6500K)
SLCPBC3UE	B22	2.5w	30w	500	Warm White (2700K)
SLCPSBC3UE	B15	2.5w	30w	500	Warm White (2700K)
SLCPSES3UE	E14	2.5w	30w	500	Warm White (2700K)
SLCPES3UE	E27	2.5w	30w	500	Warm White (2700K)
SLCPBC3UEC	B22	2.5w	30w	500	Cool Day White (6500K)
SLCPSBC3UEC	B15	2.5w	30w	500	Cool Day White (6500K)
SLCPSES3UEC	E14	2.5w	30w	500	Cool Day White (6500K)
SLCPES3UEC	E27	2.5w	30w	500	Cool Day White (6500K)



ES (E27)



SES (E14)



BC (B22)



SBC (B15)

30000
Hours Life
=25 Years
@ 3.2hrs/day

10000
AI

Hg
Mercury 0%

Operating
temperature
+50°C
-20°C

No UV and
Thermal
Radiation
Free from
harmful
elements

Instant Light

CODE	CAP	POWER	HALOGEN LAMP (EQUIVALENCY)	LUMENS	COLOUR TEMP
SLGPBC2UE	B22	1.5w	22w	330	Warm White (2700K)
SLGPSBC2UE	B15	1.5w	22w	330	Warm White (2700K)
SLGPSES2UE	E14	1.5w	22w	330	Warm White (2700K)
SLGPES2UE	E27	1.5w	22w	330	Warm White (2700K)
SLGPBC2UEC	B22	1.5w	22w	330	Cool Day White (6500K)
SLGPSBC2UEC	B15	1.5w	22w	330	Cool Day White (6500K)
SLGPSES2UEC	E14	1.5w	22w	330	Cool Day White (6500K)
SLGPES2UEC	E27	1.5w	22w	330	Cool Day White (6500K)
SLGPBC3UE	B22	2.5w	30w	500	Warm White (2700K)
SLGPSBC3UE	B15	2.5w	30w	500	Warm White (2700K)
SLGPSES3UE	E14	2.5w	30w	500	Warm White (2700K)
SLGPES3UE	E27	2.5w	30w	500	Warm White (2700K)
SLGPBC3UEC	B22	2.5w	30w	500	Cool Day White (6500K)
SLGPSBC3UEC	B15	2.5w	30w	500	Cool Day White (6500K)
SLGPSES3UEC	E14	2.5w	30w	500	Cool Day White (6500K)
SLGPES3UEC	E27	2.5w	30w	500	Cool Day White (6500K)

G45 Golf

- 100% more efficient than regular LEDs
- Energy Level A
- Opal/Pearl cover
- 200° beam angle
- Voltage: 220-240V
- Carton: 10 x 12 = 120



ES (E27)



SES (E14)



BC (B22)



SBC (B15)

A60 GLS

- 100% more efficient than regular LEDs
- Up to 1450lm output
- Energy Level A
- Opal/Pearl cover
- 270° beam angle
- Carton: 10 x 12 = 120



ES (E27)



BC (B22)

CODE	CAP	POWER	VOLTS	HALOGEN LAMP (EQUIVALENCY)	LUMENS	COLOUR TEMP
SLAPBC3UE	B22	2.5w	220-240V	30w	500	Warm White (2700K)
SLAPES3UE	E27	2.5w	220-240V	30w	500	Warm White (2700K)
SLAPBC3UEC	B22	2.5w	220-240V	30w	500	Cool Day White (6500K)
SLAPES3UEC	E27	2.5w	220-240V	30w	500	Cool Day White (6500K)
SLAPBC5UE	B22	4.5w	220-240V	46w	850	Warm White (2700K)
SLAPES5UE	E27	4.5w	220-240V	46w	850	Warm White (2700K)
SLAPBC5UEC	B22	4.5w	220-240V	46w	850	Cool Day White (6500K)
SLAPES5UEC	E27	4.5w	220-240V	46w	850	Cool Day White (6500K)
SLAPBC6UE	B22	5.5w	175-250V	55w	1050	Warm White (2700K)
SLAPES6UE	E27	5.5w	175-250V	55w	1050	Warm White (2700K)
SLAPBC6UEC	B22	5.5w	175-250V	55w	1050	Cool Day White (6500K)
SLAPES6UEC	E27	5.5w	175-250V	55w	1050	Cool Day White (6500K)
SLAPBC8UE	B22	7.5w	175-250V	69w	1450	Warm White (2700K)
SLAPES8UE	E27	7.5w	175-250V	69w	1450	Warm White (2700K)
SLAPBC8UEC	B22	7.5w	175-250V	69w	1450	Cool Day White (6500K)
SLAPES8UEC	E27	7.5w	175-250V	69w	1450	Cool Day White (6500K)

30000
Hours Life
=25 Years
@ 3.2hrs/day



No UV and
Thermal
Radiation
Free from
harmful
elements



CODE	POWER	HALOGEN LAMP (EQUIVALENCY)	LUMENS	BEAM	COLOUR TEMP
SLGU10-2WUEB	1.5w	22w	330	120	Warm White (2700K)
SLGU10-2WUE	1.5w	22w	330	38	Warm White (2700K)
SLGU10-2CUEB	1.5w	22w	330	120	Cool Day White (6500K)
SLGU10-2CUE	1.5w	22w	330	38	Cool Day White (6500K)
SLGU10-2DUEB	1.5w	22w	330	120	Natural Cool White (4000K)
SLGU10-2DUE	1.5w	22w	330	38	Natural Cool White (4000K)
SLGU10-3WUEB	2.5w	30w	500	120	Warm White (2700K)
SLGU10-3WUE	2.5w	30w	500	38	Warm White (2700K)
SLGU10-3CUEB	2.5w	30w	500	120	Cool Day White (6500K)
SLGU10-3CUE	2.5w	30w	500	38	Cool Day White (6500K)
SLGU10-3DUEB	2.5w	30w	500	120	Natural Cool White (4000K)
SLGU10-3DUE	2.5w	30w	500	38	Natural Cool White (4000K)

GU10

- 100% more efficient than regular LEDs
- Energy Level A
- Voltage: 220-240V
- Carton: 10 x 12 = 120



GU10

Supacell efficient®



Supacell Efficient LEDs

- // 30% More Efficient
- // More Lumens
- // Less Watts

PRO LED/30%
+saving
*vs normal LED

Supacell Efficient LEDs save you up-to 30% less energy consumption vs regular LEDs - Emitting more lumens whilst using less watts.

This means our Supacell Efficient bulbs are brighter than your usual LEDs whilst reducing your energy usage in turn saving you money in running costs.



Our LED Efficient range are 30% more cost effective to run than regular LEDs

**2 YEARS
GUARANTEE**


**UP TO
25 YEARS
EXTENDED
LIFE**

// Our Pro Efficient range last up-to 30,000hrs, this saves you money whilst helping our planet

Our Supacell Efficient range not only save you money, but because they consume less energy than your usual LED bulbs, they also help to save the environment.



LAMP COLOUR TEMPERATURE



C37 LED Candle

- 30% more efficient than regular LEDs.
- Energy Level E
- Opal/Pearl cover
- 200° beam angle
- Voltage: 220-240V
- Carton: 10 x 12 = 120

CODE	CAP	POWER	HALOGEN LAMP (EQUIVALENCY)	LUMENS	COLOUR TEMP
SLCPBC4PE	B22	4w	40w	470lm	Warm White (2700K)
SLCPSBC4PE	B15	4w	40w	470lm	Warm White (2700K)
SLCPSES4PE	E14	4w	40w	470lm	Warm White (2700K)
SLCPES4PE	E27	4w	40w	470lm	Warm White (2700K)
SLCPBC4PEC	B22	4w	40w	470lm	Cool Day White (6500K)
SLCPSBC4PEC	B15	4w	40w	470lm	Cool Day White (6500K)
SLCPSES4PEC	E14	4w	40w	470lm	Cool Day White (6500K)
SLCPES4PEC	E27	4w	40w	470lm	Cool Day White (6500K)

**30000
Hours Life
= 25 Years**
@ 3.2hrs/day

**10000
AI**

Hg
Mercury 0%

Operating temperature
+50°C
-20°C

**No UV and
Thermal
Radiation**
Free from
harmful
elements

Instant Light



ES (E27)



SES (E14)



BC (B22)



SBC (B15)



SES (E14)



BC (B22)



SBC (B15)

G45 Golf

- 30% more efficient than regular LEDs.
- 200° beam angle
- Energy Level E
- Voltage: 220-240V
- Carton: 10 x 12 = 120
- Opal/Pearl cover

CODE	CAP	POWER	HALOGEN LAMP (EQUIVALENCY)	LUMENS	COLOUR TEMP
SLGPBC4PE	B22	4w	40w	470lm	Warm White (2700K)
SLGPSBC4PE	B15	4w	40w	470lm	Warm White (2700K)
SLGPSES4PE	E14	4w	40w	470lm	Warm White (2700K)
SLGPES4PE	E27	4w	40w	470lm	Warm White (2700K)
SLGPBC4PEC	B22	4w	40w	470lm	Cool Day White (6500K)
SLGPSBC4PEC	B15	4w	40w	470lm	Cool Day White (6500K)
SLGPSES4PEC	E14	4w	40w	470lm	Cool Day White (6500K)
SLGPES4PEC	E27	4w	40w	470lm	Cool Day White (6500K)



ES (E27)




**PR LED/30%
+saving**
*vs normal LED

**2 YEARS
GUARANTEE**

**UP TO
25
YEARS
EXTENDED
LIFE**

**30000
Hours Life
= 25 Years
@ 3.2hrs/day**



CODE	POWER	HALOGEN LAMP (EQUIVALENCY)	LUMENS	BEAM	COLOUR TEMP
SLGU10-4PEB	4w	40w	470lm	120	Warm White (2700K)
SLGU10-4WPE	4w	40w	470lm	38	Warm White (2700K)
SLGU10-5CPEB	4w	40w	470lm	120	Cool Day White (6500K)
SLGU10-5CPE	4w	40w	470lm	38	Cool Day White (6500K)
SLGU10-5DPEB	4w	40w	470lm	120	Natural Cool White (4000K)
SLGU10-5DPE	4w	40w	470lm	38	Natural Cool White (4000K)

GU10

- 30% more efficient than regular LEDs.
- Energy Level E
- Voltage: 220-240V
- Carton:
10 x 12 = 120



GU10



A60/A65 GLS

- 30% more efficient than regular LEDs.
- Up to 1450lm output
- Energy Level E
- Opal/Pearl cover
- 270° beam angle
- Carton: 10 x 12 = 120

CODE	CAP	POWER	VOLTS	HALOGEN LAMP (EQUIVALENCY)	LUMENS	COLOUR TEMP
SLAPBC4PE	B22	4w	220-240V	40w	470lm	Warm White (2700K)
SLAPES4PE	E27	4w	220-240V	40w	470lm	Warm White (2700K)
SLAPBC4PEC	B22	4w	220-240V	40w	470lm	Cool Day White (6500K)
SLAPES4PEC	E27	4w	220-240V	40w	470lm	Cool Day White (6500K)
SLAPBC7ES	B22	7w	220-240V	60w	806lm	Warm White (2700K)
SLAPES7ES	E27	7w	220-240V	60w	806lm	Warm White (2700K)
SLAPBC7ESC	B22	7w	220-240V	60w	806lm	Cool Day White (6500K)
SLAPES7ESC	E27	7w	220-240V	60w	806lm	Cool Day White (6500K)
SLAPBC9ES	B22	9.5w	175-250V	75w	1050lm	Warm White (2700K)
SLAPES9ES	E27	9.5w	175-250V	75w	1050lm	Warm White (2700K)
SLAPBC9ESC	B22	9.5w	175-250V	75w	1050lm	Cool Day White (6500K)
SLAPES9ESC	E27	9.5w	175-250V	75w	1050lm	Cool Day White (6500K)
SLAPBC13PE	B22	13w	175-250V	100w	1450lm	Warm White (2700K)
SLAPES13PE	E27	13w	175-250V	100w	1450lm	Warm White (2700K)
SLAPBC13PEC	B22	13w	175-250V	100w	1450lm	Cool Day White (6500K)
SLAPES13PEC	E27	13w	175-250V	100w	1450lm	Cool Day White (6500K)

Supacell Smart WiFi



*Your home can
be smarter with
Supacell*

*Supacell Smart is the latest in household
WiFi device control technology.*

*Our App, alongside our range of Supacell
Smart products, such as: LEDs, remote hubs
and plug socket controllers - Give you full
control over the electrical devices in your
home, anywhere in the world.*



*Control your home
with our simple
to use Smart App*



- *WiFi enabled lamps, plugs and switches can all be simply operated from anywhere using our smart app.*
- *Change the colour temperature of lighting, or set timers for when devices should turn on and off.*



C37 Smart Candle

- WiFi enabled / Dimmable
- Colour temperature selector: Choose from millions of colours
- Opal/Pearl cover

CODE	CAP	POWER	LUMENS	COLOUR TEMP
SLWC37BCD5CW	B22	5w	470lm	Millions of Colours
SLWC37SBCD5CW	B15	5w	470lm	Millions of Colours
SLWC37SESD5CW	E14	5w	470lm	Millions of Colours
SLWC37ESD5CW	E27	5w	470lm	Millions of Colours



A60/A65 GLS Smart Lamp

- WiFi enabled / Dimmable
- Colour temperature selector: Choose from millions of colours
- Opal/Pearl cover

CODE	TYPE	CAP	POWER	LUMENS	COLOUR TEMP
SLWA60BCD9CW	A60	B22	9w	850lm	Millions of Colours
SLWA60ESD9CW	A60	E27	9w	850lm	Millions of Colours
SLWA65BCD12CW	A65	B22	12w	1200lm	Millions of Colours
SLWA65ESD12CW	A65	E27	12w	1200lm	Millions of Colours
SLWA65BCD15CW	A65	B22	15w	1400lm	Millions of Colours
SLWA65ESD15CW	A65	E27	15w	1400lm	Millions of Colours






G45 Golf Smart Lamp

Control your lighting with a smart phone, your voice, or via your digital assistant

- WiFi enabled / Dimmable
- Colour temperature selector: Choose from millions of colours
- Opal/Pearl cover

CODE	CAP	POWER	LUMENS	COLOUR TEMP
SLWG45BCD5CW	B22	5w	470lms	Millions of Colours
SLWG45SBCD5CW	B15	5w	470lms	Millions of Colours
SLWG45SESD5CW	E14	5w	470lms	Millions of Colours
SLWG45ESD5CW	E27	5w	470lms	Millions of Colours

Make your home smarter with the Supacell App



LED GU10 Smart Lamp

- WiFi enabled / Dimmable
- Colour temperature selector: Choose from millions of colours
- Clear cover

CODE	CAP	POWER	LUMENS	BEAN	COLOUR TEMP
SLWGU10D5CW	PIN	5w	425lm	38°	Millions of Colours
SLWGU10D5CWB	PIN	5w	425lm	120°	Millions of Colours

Smart Wifi Plug

- Turn any electrical appliance into a smart device
- Space saving compact design
- Energy consumption monitoring
- Built in surge and overload protection
- 2.4GHz wireless frequency 802.11b/g/n



CODE	VERSION	CURRENT	VOLTS	POWER
SWFP-10-CNR	China	10A	220-250V	2200W
SWFP-13-UKR	UK	13A	100-250V	3000W
SWFP-13-UKS	UK	13A	240V	3000W
SWFP-13-EUS	Europe	16A	230V	3500W
SWFP-13-USS	US	15A	120V	1800W

Ceiling Light

Surface mounted dome LED ceiling light suitable for traditional and contemporary settings in commercial or residential use

- Up to 2160lm output
- 140° beam
- Voltage: 170-250V

CEILING LIGHT: INDOOR IP20

CODE	LUMENS	POWER	COLOUR TEMP	DIAMETER
SLC260-12BSC	1080lm	12w	Cool day white (6500K)	255mm
SLC260-12BS	1080lm	12w	Warm white (3000K)	255mm
SLC330-18BSC	1620lm	18w	Cool day white (6500K)	310mm
SLC330-18BS	1620lm	18w	Warm white (3000K)	310mm
SLC380-24BSC	2160lm	24w	Cool day white (6500K)	350mm
SLC380-24BS	2160lm	24w	Warm white (3000K)	350mm

CEILING LIGHT: OUTDOOR IP66

CODE	LUMENS	POWER	COLOUR TEMP	DIAMETER
SLCP280-240BSC	2160lm	24w	Cool day white (6500K)	280mm

UP TO
90%
ENERGY
SAVING

2 YEARS
GUARANTEE

A Comprehensive Range of LED Lighting

Supacell LED lighting products are manufactured to the highest standards, using superior advanced components. Meeting the latest EU & US environmental energy and safety regulations, Supacell LED offer huge energy savings and a longer life for the best possible lighting experience.



Supacell
ultra+

Supacell
power+

Supacell

Superior quality Alkaline and Lithium batteries

CODE	TYPE	PACK SIZE	INNER	OUTER
BSUDAA4-U	AA	4pk card	12	84
BSUDAA10-U	AA	10pk card	12	84
BSUDAAA4-U	AAA	4pk card	12	84
BSUDAAA10-U	AAA	10pk card	12	84

Zinc Chloride batteries

CODE	TYPE	PACK SIZE	INNER	OUTER
BSHAA4-U	AA	4pk card	12	84
BSHAA10-U	AA	10pk card	12	84
BSHAAA4-U	AAA	4pk card	12	84
BSHAAA10-U	AAA	10pk card	12	84



Supacell®

supacell.eu.com

is a division of

MULTIBRANDS™

multibrands.eu.com



IEC CERTIFIED & APPROVED
IEC 62560:2011 + A1:2015
IEC 62031:2008 + A1:2012 + A2:2014